

United States Department of Agriculture

Service Center Modernization Initiative (SCMI)

STANDARD

Geospatial Symbology

DRAFT

February 22, 2005

Prepared by:

Randy Frosh, Data Management Team Member

Introduction

As directed by the Secretary of Agriculture's March 16, 1998 memorandum, the Natural Resources Conservation Service (NRCS), Farm Service Agency (FSA), and Rural Development (RD) agencies are co-locating offices, modernizing business processes, and partnering to achieve a "one-stop service" for United States Department of Agriculture (USDA) customers at their county-based field offices (Service Centers). One of the major components of the modernization initiative involves the implementation of a Geographic Information System (GIS) across each of the Partner Agencies and in all 2,550 Service Center offices. A Service Center Data Team has been chartered with the overall responsibility for implementing an infrastructure for management of data resources for the Partner Agencies. The GIS Standards Team 5 was formed to address specific data management issues regarding geospatial data.

The individuals who contributed to the development of this standard are:

David Anderson, (NRCS) Service Center Data Team Leader

Shandy Bittle (NRCS) Kathy Green (NRCS) Randy Frosh (Synergetics)

Anne Taylor (ESRI) Nathan McCaleb (NRCS) Michael Schramm (NRCS)

Figure 1 — Working group list

RECORD OF CHANGE

Revision/Change Number	Update Number	Date of Change	Description/Reason for Change	Pages/Sections Affected
1	1	22-Feb-05	Use larger point feature symbols	4

ARC/INFO is a registered trademark of Environmental Systems Research Institute, Inc. ArcView is a registered trademark of Environmental Systems Research Institute, Inc. Microsoft Access 2000 is a registered trademark of Microsoft Corporation.

Draft İ February 22, 2005

Table of Contents

1.	Overview	1
1.1.	Scope	1
1.2.	Purpose	1
1.3.	Acronyms and abbreviations	2
2.	Background	2
2.1.	NRCS-SOI-37A	2
2.2.	USGS Topographic Symbols	3
2.3.	OGC Initiatives	3
2.4.	National Conservation Planning Map Symbols Standard	
2.5.	National CAD Standards	
3.	NRCS-SOI-37A	5
4.	Style Sheets	
4.1.	5 / 11 = 1110	
4.2.	37A Marker Styles	
4.3.	Ad Hoc Marker Styles	
4.4.	SSURGO Marker Styles	
4.5.	SSURGO Line Styles	
4.6.	Planning Line and Fill Styles	
4.7.	Planning Marker Styles	
Appen	dix A – Bibliography	1
Appen	dix B – USGS Topographic Map Symbols	2
Tab	le of Figures and Tables	
Figure	1 — Working group list	i
_		Q Q

This page is intentionally left blank

STANDARD FOR GEOSPATIAL SYMBOLOGY

1. Overview

The objectives of this standard are to help in managing United States Department of Agriculture (USDA) Service Center Modernization Initiative (SCMI) geospatial data by establishing conventions and standards for map symbology; support the concurrent USDA Service Center Modernization Strategy to develop a basic nationally consistent set of core geospatial data that will provide a foundation on which to base business applications; and to relate to other SCMI geospatial standards including SCMI Std 003, *Standard for Geospatial Data Set Metadata* [A2]¹, SCMI Std 005, *Standard for Geospatial Feature Metadata* [A3], SCMI Std 007, *Standard for Geospatial Data* [A4], SCMI Std 004, *Standard for Geospatial Dataset File Naming* [A5], and the *USDA Service Center Initiative Directory Structure and File Naming Convention Change Control Policy* [A6].

Appendix A of this standard provides bibliography references to the documents listed above.

1.1. Scope

The scope of this standard is to define the cartographic feature symbology and conventions for the *geospatial dataset collection* (physical repository of data) that resides at a USDA Service Center. This standard shall apply to the set of nationally consistent core geospatial data layers first defined in the *USDA Service Center Geographic Information System (GIS) Strategy* [A7]. It also provides guidance on the cartographic feature symbology and conventions for locally acquired and derived geospatial data.

1.2. Purpose

GIS for the Service Center is expected to comprise nationwide coverage of more than 20 common *geospatial datasets* (a group of similar spatial phenomena) that are collected and distributed at the county level of geography.

The purpose of this standard is to document the cartographic feature symbolization that shall be used for all *geospatial datasets* (a group of similar spatial phenomena) in use under the USDA Service Center Initiative (SCI). This standard serves as a reference tool for persons responsible for cartographic production. Adherence to this standard is necessary to ensure that maps of all geospatial data sets within the SCI are, at a minimum, produced with consistent cartographic symbolization.

This consistent documentation is necessary for users within and outside of the SCI. In addition, nationally fielded applications will be developed that rely on the nationally consistent set of symbolization. Applications that are built locally for a USDA Service Center or for data that is acquired locally shall also adhere to these standards.

Draft 1 February 22, 2005

¹ The number in brackets corresponds to those of the bibliography in Appendix A.

1.3. Acronyms and abbreviations

CAD Computer Aided Drafting DOD Department Of Defense

ERMS Emergency Response Map Symbology FGDC Federal Geographic Data Committee

FSA Farm Service Agency

GIS Geographic Information System

NRCS Natural Resources Conservation Service

OGC Open GIS Consortium RD Rural Development

SCMI Service Center Modernization Initiative

SLD Styled Layer Descriptor SMS Style Management Service

SSURGO Soil Survey Geographic Database

USDA United States Department of Agriculture

USGS United States Geological Survey

VPF Vector Product Format

2. Background

2.1. NRCS-SOI-37A

A document known as NRCS-SOI-37A has been widely used for many years to develop soil survey maps. It is the official document used expressly for the soil survey initiative where soil map symbols are concerned.

The document, primarily referred to as the '37A', provides the most current listing of map features used in the publication of soil survey maps. This standard references 37A but does not replace it. 37A is the authoritative source for soils symbology.

Included on 37A are the area, line and point features that comprise the three data layers recognized in soil survey: SSURGO, Hydrography and Culture. Of the three data themes, SSURGO is a compulsory component; Hydrography and Culture are considered optional. These layers are further described below:

- SSURGO consists of area, line and point soil delineations and their associated labels, line and point "standard landform and miscellaneous surface features" and line and point ad hoc features.
- Cultural features consist of administrative/political boundaries, public land survey, roads and road emblems and point feature 'located objects', e.g. cemeteries, churches, schools and windmills.
- Hydrographic features consist of line features for streams and drainage ditches. These are perennial, intermittent or unclassified, and flood pool lines. Point features consist of springs, wells and drainage ends.

Draft 2 February 22, 2005

The National Soil Survey Handbook, part 627 references the 37A and prescribes that each soil survey area requires a Feature and Symbol Legend for the Soil Survey. The legend identifies all approved map features that may be published in soil surveys including:

- Area, line, and point soil features including soil boundary lines and soil symbols.
- Ad hoc features and standard landform and miscellaneous surface features that are too small to be delineated as areas on soil map sheets at either 1:12,000 (<1.4 acres) or 1:24,000 (<5.7 acres) scale.
- Cultural features, such as structures, political boundaries, road emblems, and airports
- Hydrographic features, such as streams, springs, and wells.

The National Soil Survey Handbook, part 627 further prescribes that:

- 1. Each soil survey area requires a Feature and Symbol Legend for Soil Survey (NRCS-SOI-37A 5/01).
- 2. Standard landform and miscellaneous surface features or ad hoc features be used to show local areas of significantly contrasting soils or features too small to delineate at the publication scale. The need for these features depends on their significance to the present or projected use of the soils and the soil map. These features are primarily for location purposes and only surface determined properties or responses define them. These features are not used to indicate soils or features that are identified in the name or description of the map unit delineated. Nor are these features used as identifying symbols in small delineations.
- 3. Ad hoc features on the 37A are defined in the section entitled Descriptions for Ad Hoc Features. Define the specific kind and size of the area represented.
- 4. All symbols must correspond exactly to those listed on form NRCS-SOI-37A
- 5. The soil survey project office prepares the first draft of the feature and symbol legend before the initial field review of the survey area using the NRCS-SOI-37A. The review report includes the NRCS-SOI-37A.

2.2. USGS Topographic Symbols

The standard symbology found on USGS topographic sheets is recognized, well know and has been in use as a standard for many years. The symbology pages are found on: http://mac.usgs.gov/mac/isb/pubs/booklets/symbols/

Appendix B also provides the USGS symbolization for easy reference by the reader.

2.3. OGC Initiatives

The Open GIS Consortium (OGC) is sponsoring The Emergency Mapping Symbology Interoperability Program Initiative that will be a test bed initiative focusing on maturing the Style Management Service (SMS) and the Styled Layer Descriptor (SLD) with application to Emergency Mapping Symbology. The project will test enabling the use of multiple symbol sets with one set of feature data. The symbology used will likely come from the following:

Emergency Response Map Symbology (ERMS) – a map symbology set being defined by the FGDC Homeland Security Work Group. See: http://www.fgdc.gov/publications/homeland.html

Draft 3 February 22, 2005

■ Geospatial Symbols (GeoSym) for Digital Displays. The map symbology set defined by Department of Defense (DOD) to portray Vector Product Format (VPF) data. Reference TBD.

This request for quotation is intended to address requirements including the development of a client for publishing, managing, and previewing particular symbolization configurations, testing the assignment of symbols to particular feature types from a feature level data store, testing and enhancement of the Style Layer Descriptor Implementation Specification and its use in Web Mapping Service implementations to support the portrayal specified symbol sets, and testing and enhancing the Style Management Services Specification.

2.4. National Conservation Planning Map Symbols Standard

There is a standard for conservation planning symbols. The document is entitled National Map Symbols Handbook, Title 170, Part 601 [A8]. However, it is last dated October 1990 and contains map symbols designed primarily for use for the then named "Soil Conservation Service". It was intended to closely resemble the map symbols in common usage by various U.S. Government agencies. This document is for reference use only, because many of the symbols have been superseded by those currently used by the Natural Resources Conservation Service. The document further contains all of the symbols that were contained in the NRCS-SOI-37A in existence then, many of which have either been discarded or modified to their current forms. Also note that the 1993 NPPH Exhibit 12 includes planning symbols.

As a result of the above, the document is for reference use only. When and if the document is reprinted, it will refer to this document.

2.5. National CAD Standards

The National CAD Standards Development Team has interest in using information found in the draft NRCS National Digital Geospatial Map Symbols Handbook, Title 170, Part 601.

The scales of CAD work are most often much different than the scales of the items covered in that handbook. However, if would be useful if there was a section in the National Map Symbols Handbook for: "Construction Drawings". Then all symbols would be in one reference.

Contact Norman J. Friedrich [mailto:norman.friedrich@ia.usda.gov] OR

Kathy Miller
National Design, Construction and Soil Mechanics Center
Natural Resources Conservation Service, USDA
501 W. Felix, Bldg. 23
Fort Worth, TX 76115
Kathy.Miller@ftw.nrcs.usda.gov
(817) 509-3767


At this time, it has been decided that CAD symbology will not be included in this geospatial symbology document because of the difference in scale of the graphics.

Draft 4 February 22, 2005

3. NRCS-SOI-37A

This is the current version of NRCS-SOI-37A as of March 29,2004 and is included here for easy reference by the reader. The ad hoc symbols are defined and likely to be unique for each soil survey area.

SOIL SURVEY FEATURES



STANDARD LANDFORM AND MISCELLANEOUS SURFACE FEATURES

Bedrock escarpment	**********
Non-bedrock	^Y^Y^Y^Y^Y^Y^
escarpment	
Gully	······
Levee	
Short steep slope	
Blowout	•
Borrow pit	⊠
Clay spot	*
Closed depression	•
Gravel pit	×
Gravely spot	∴
Landfill	\times
Lava flow	٨
Marsh or swamp	*
Mine or quarry	*
Miscellaneous water	0
Perennial water	•
Rock outcrop	~
Saline spot	+
Sandy spot	×
Severely eroded spot	=
Sinkhole	\
Slide or slip	3>
Sodic spot	Ø
Spoil area	3
Stony spot	0
Vary stony spot	۵
Wet spot	₩

AD HOC FEATURES

1	<
2	П
3	
4	M
5	Д
6	•
7	H

Draft 5 February 22, 2005

9	8	
10	9	
11		
17	11	
17	12	
17	13	J
17	14	
17	15	X
17	16	
18	17	Δ
19 x 20 x 21	18	
20	19	
21	20	
23	21	
23	22	
24	23	ô
26 ⊕ 27 ⊕ 28 ⊗ 29 ⋈ 30 ⋈ 31 □ 32 ⊗ 33 ⊚ 34 ⊕ 35 □ 36 ↔ 37 ↔ 38 □ 40 □ 41 ↔ 42 ± 43 <	24	
26 ⊕ 27 ⊕ 28 ⊗ 29 ⋈ 30 ⋈ 31 □ 32 ⊗ 33 ⊚ 34 ⊕ 35 □ 36 ↔ 37 ↔ 38 □ 40 □ 41 ↔ 42 ± 43 <	25	•
27	26	0
29 ⊠ 30 □ 31 □ 32 ⊕ 33 ⊕ 34 ⊕ 35 □ 36 ↔ 37 ↔ 38 □ 40 □ 41 ↔ 42 ± 43 <	27	+
29 ⊠ 30 □ 31 □ 32 ⊕ 33 ⊕ 34 ⊕ 35 □ 36 ↔ 37 ↔ 38 □ 40 □ 41 ↔ 42 ± 43 <	28	8
31	29	×
32	30	¤
33	31	0
34 ⊕ 35 ⊕ 36 ↔ 37 + 38 ⊕ 39 ⊕ 40 □ 41 • 42 ⊕ 43 <	32	⊗
35	33	@
36	34	Θ
37	35	Φ
38 □ 39 ■ 40 □ 41 •• 42 ± 43 <	36	+
39	37	
40		
41 *** 42 ± 43 <		
42 ± 43 <		
43 (
		#
44		<
	44	•

CULTURAL FEATURES (Optional)

National, state or providence	
County or parish	
County or parish	
Reservation (national or state forest or park)	

Limit of soil	
survey (label)	
and/or denied	
access area	
Field sheet	
matchline and	
neatline	
Public Land	
Survey System	
Section	
Boundary	
Public Land	T de l'
Survey System	
Section Corner	
Tics.	

TRANSPORTATION

Divided road Normally not shown	
Other road Normally not shown	7
Trail Normally not shown	

ROAD EMBLEMS

Interstate	\Box
Federal	
State	0
County, farm or ranch	

LOCATED OBJECTS

+
\pm
•
•
Ť
 Ranger Station
凤
Δ
▲ Mt. Carmel
i
S
 Petroleum
¥

Draft 7 February 22, 2005

HYDROGRAPHIC FEATURES (Optional)

Drainage end	
(indicates	▶
direction of	
flow)	
Perennial	
stream	
Intermittent	
stream	
Unclassified	
stream	
Perennial	
drainage or	
irrigation ditch	
Intermittent	
drainage or	
irrigation ditch	
Unclassified	
drainage or	
irrigation ditch	
Flood pool line	FL000 POOL LINE
Spring	6
Well, artesian	•
Well, irrigation	*

Figure 3.1 — NRCS-SOI-37A

4. Style Sheets

This Cartographic Symbology Standard is based on NRCS-SOI-37A. However, the 37A does not provide guidance on symbolization for conservation plan maps, maps produced by the partner agencies-Farm Service Agency (FSA) and Rural Development (RD) or ad hoc maps.

As a result, this standard was developed and this section provides style sheets for all map symbols including those found on the 37A.

As of 9-APR-04 these NRCS style sheets are not on a USDA site but are on the ESRI website at: http://arcscripts.esri.com/details.asp?dbid=12520

The True Type fonts are first loaded after which they can be used within the ArcMap Symbology Editor to create marker symbols, line symbology, etc.


Creating new marker symbols, line styles & fill styles in ArcMap is done with the Symbology Property Editor. This is accessed from the ArcMap Style Manager (Tools->Styles->Style Manager). This provides access to any fonts on your system to create new symbology.

To produce the following proof sheets, the Style Dump utility in ArcMap is used. Information on using the Style Dump utility is found at:

http://support.esri.com/index.cfm?fa=knowledgebase.techarticles.articleShow&d=21180 That output is then put into PowerPoint and finally exported to Word.

Draft 9 February 22, 2005

4.1. 37A Line Styles



Draft 11 February 22, 2005

4.2. 37A Marker Styles

United States Department of Agriculture	NA Maulson Ottalaa
Style Sneet – 3	37 A Marker Styles
Located Objects Category	Surface Feature Catego
★ Cemetary	' Blowout
V Church	# Borrow Pit
; Airport, Airfield	(Clay Spot
K House, Farmstead	! Closed Depression
T Lighthouse	\$ Gravel Pit
6 Located Object) Gravelly Spot
Q Lookout Tower	& Landfill
R Oil and/or Natural Gas Well	* Lava Flow
N Other Religion	Marsh or Swamp
M School	% Mine or Quarry
J Soil Sample Site	7 Miscellaneous Water
P Tank	6 Perennial Water
S Windmill	, Rock Outcrop
	- Saline Spot
Hydrographic Category	. Sandy Spot
? Spring	/ Severely Eroded Spot
Well, Artesian	" Sinkhole
< Well, Irrigation	() Slide or Slip
■ Drainage End	1 Sodic Spot
	2 Spoil Area
D 1 1 0 1	3 Stoney Spot
Boundaries Category	4 Very Stoney Spot
A Public Land Survey System Section Corner Tic @ Public Land Survey System Section Corner Tic	5 Wet Spot

Draft 12 February 22, 2005

@ Public Land Survey System Section Corner Tic@ Public Land Survey System Section Corner Tic

4.3. Ad Hoc Marker Styles

United States Department of Agriculture	
NRCS Resources Conservation Service Style	Sheet - Adhoc
NRCS Adhoc Marker	Styles
į ADHOC #1	7 ADHOC #23
" ADHOC #2	8 ADHOC #24
# ADHOC #3	9 ADHOC #25
\$ ADHOC #4	: ADHOC #26
% ADHOC #5	; ADHOC #27
& ADHOC #6	< ADHOC #28
' ADHOC #7	= ADHOC #29
(ADHOC #8	> ADHOC #30
) ADHOC #9	? ADHOC #31
* ADHOC #10	@ ADHOC #32
+ ADHOC #11	A ADHOC #33
, ADHOC #12	B ADHOC #34
- ADHOC #13	C ADHOC #35
. ADHOC #14	D ADHOC #36
/ ADHOC #15	E ADHOC #37
O ADHOC #16	F ADHOC #38
1 ADHOC #17	G ADHOC #39
2 ADHOC #18	H ADHOC #40
3 ADHOC #19	ADHOC #41
4 ADHOC #20	J ADHOC #42
5 ADHOC #21	χ ADHOC #43
6 ADHOC #22	L ADHOC #44

Draft 13 February 22, 2005

4.4. SSURGO Marker Styles

٥	United States Department of Agriculture NRCS Resource Resource Style Sheet —	SS	URGO Marker Styles
	NRCS SSURGO Marker St	tyles	3
!	Depression	5	Wet Spot
11	Sinkhole	6	Perennial Water
#	Borrow Pit	7	Miscellaneous Water
\$	Gravel Pit	8	Spring
%	Mine or Quarry	9	Artesian Well
&	Landfill	:	Irrigation Well
1	Blowout	• ,	Airport, Airfield
(Clay Spot	<	Cemetery
)	Gravelly Spot	=	Small Cemetery
*	Lava Flow	?	Land Division Corner
+	Marsh or Swamp	Α	Geographic Coordinate Tick
ı	Rock Outcrop	В	Interstate
-	Saline Spot	С	Interstate Expanded
•	Sandy Spot	D	Federal
/	Severely Eroded Spot	Ε	Federal Expanded
0	Slide or Slip	F	State
1	Sodic Spot	G	State Expanded
2	Spoil Area	Н	County, Farm, Ranch
3	Stoney Spot	1	Prominent Hill or Peak
4	Very Stoney Spot	J	Soil Sample Site




Style Sheet – SSURGO Marker Styles


(Continued)

- K House, Farmstead
- Church
- M School
- N Other Religious
- 0 Located Object
- P Tank
- O Lookout Tower
- R Oil/Gas Well
- S Windmill
- T Lighthouse
- V Drainage End
- d Land Division Corner
- C Land Division Corner (NE)
- b Land Division Corner (SE)
- a Land Division Corner (NW)
- e Land Division Corner (SW)

4.5. SSURGO Line Styles



4.6. Planning Line and Fill Styles



Draft 17 February 22, 2005

United States Department of Agriculture NRCS Resources Conservation Service Style Sh	eet – Planning
°°° Existing Pipeline Water or Gas	NRCS Planning Fill Styles
Planned Pipeline Water or Gas	Existing Fence
£ £ £ Existing Telephone	Field or Landuse Boundary Farm, Ranch or Other Operations
v v v v Existing Shelter Belt	Conservation District Boundary
×××× Planned Shelter Belt	Planned Fence
← Existing Fence Removed	
Small Park, Airfield, Oil/Gas Field	
City, Village, Borough, or Urban Area	
— Soil Survey Area Boundary	
Conservation District Boundary	
Soil Boundary	
———Watershed Boundary	
Field or Landuse Boundary	
Section Line	
Farm, Ranch or Other Operations	
- National, State or Province	

4.7. Planning Marker Styles

٥	Natural Natural States Department of Agriculture NRCS Resorres Concretion Style Sheet —	Plar	nning Marker Styles
NRC	S Planning Marker Styles		
ļ	Existing Pipe Riser	5	Existing Drop Structure
11	Planned Pipe Riser	6	Planned Drop Structure
#	Existing Pump	7	Existing Pit
\$	Planned Pump	8	Planned Pit
%	Existing Trough	9	Existing Spring & Trough
&	Planned Trough	:	Planned Spring & Trough
1	Existing Windmill & Trough	•	Well, Artesian
(Planned Windmill & Trough	<	Well, Irrigation
)	Existing Windmill	=	Wet Spot
*	Planned Windmill	>	Marsh Swamp
+	Existing Water Tank	?	Spring
,	Planned Water Tank	@	Drainage End
-	Planned Spring Devel	Α	Storage Tanks
•	Existing Spring Devel	В	Existing Flood Gate
/	Existing Division Box	С	Planned Flood Gate
0	Planned Division Box	D	Existing Well
1	Existing Diversion	E	Planned Well
2	Planned Diversion	F	Depression
3	Planned Check Dam	G	Depression Not Crossable
4	Existing Check Dam	Н	Depression Crossable

Draft 19 February 22, 2005



Style Sheet – Planning Marker Styles

House Farmstead

Buildings

Mine Tunnel Opening

Prospect Mine

P Existing Salt Ground

O Planned Salt Ground

R Bridge Tunnel (left)

Bridge Tunnel (right)

T Airport

Airway Beacon

V Church

W Cemetary, Small

Cemetary, Large

Y Cemetary, Small (2)

Z School

Sawmill

Appendix A – Bibliography

When the following standards are superseded by an approved revision, the revision shall apply.

- [A1] Geospatial Data Acquisition, Integration, and Delivery National Implementation Strategy Plan, Draft #4 Service Center Business Process Reengineering Data AID Team, September 22, 1999
- [A2] SCMI Std 003, Standard for Geospatial Data Set Metadata
- [A3] SCMI Std 005, Standard for Geospatial Feature Metadata
- [A4] SCMI Std 007, Standard for Geospatial Data
- [A5] SCMI Std 004 Standard for Geospatial Dataset File Naming
- [A6] USDA Service Center Initiative Directory Structure and File Naming Convention Change Control Policy
- [A7] USDA Service Center Geographic Information System (GIS) Strategy
- [A8] NRCS National Map Symbol Handbook, Title 170, Part 601

Draft 21 February 22, 2005

Appendix B – USGS Topographic Map Symbols

Elevation

CONTOURS

opographic	
Intermediate	
Index	~
Supplementary	
Depression	
Cut; fill	
Bathymetric	
Intermediate	
Index	
Primary	
Index Primary	
Supplementary	

Boundaries

BOUNDARIES

National	
State or territorial	
County or equivalent	
Civil township or equivalent	
Incorporated city or equivalent	
Park, reservation, or monument	—·—
Small park	

Draft 23 February 22, 2005

Land Surface Features

SURFACE FEATURES

Levee	
Sand or mud area, dunes, or shifting sand	(Sand)
Intricate surface area	SOLOW (Stip)
Gravel beach or glacial moraine	Grave!
Tailings pond	(Patings)

MINES AND CAVES

Quarry or open pit mine	*
Gravel, sand, clay, or borrow pit	×
Mine tunnel or cave entrance	→ ¹ ¹ ¹
Prospect; mine shaft	X e
Mine dump	Mine dump.
Tailings	Tailings

VEGETATION

Woods	
Scrub	10 Mills
Orchard	1000001 1000001 200001
Vineyard	10 0 10 0 10 0 10 0 10 0 10 0 10 0 10
Mangrove	A All Mangrove

GLACIERS AND PERMANENT SNOWFIELDS


Contours and limits	
Form lines	1916s

Water Features


MARINE SHORELINE

Topographic maps	
Approximate mean high water	
Indefinite or unsurveyed	
Topographic-bathymetric maps	
Mean high water	
Apparent (edge of vegetation)	

COASTAL FEATURES




BATHYMETRIC FEATURES



Draft 25 February 22, 2005

RIVERS, LAKES, AND CANALS



Marsh or swamp	
Submerged marsh or swamp	
Wooded marsh or swamp	
Submerged wooded marsh or swamp	
Rice field	4]4]4] (Rice)
Land subject to inundation	AND POSITION

Draft 26 February 22, 2005


Buildings and Related Features

uilding	
chool; church	
Guilt-up Area	
acetrack	0 0
Airport	X
anding strip	c====3
Well (other than water); windmill	o ž
anks	• Ø
Covered reservoir	0 W///
Gaging station	9
andmark object (feature as labeled)	0
Campground; picnic area	I -
Cemetery: small; large	[+]Cem

Draft 27 February 22, 2005

Roads, Railroads, and Other Features ROADS AND RELATED FEATURES

Roads on Provisional edition maps are not classified as primary, secondary, or light duty. They are all symbolized as light duty roads.



RAILROADS AND RELATED FEATURES

Standard gauge single track; station	
Standard gauge multiple track	
Abandoned	
Under construction	
Narrow gauge single track	
Narrow gauge multiple track	
Railroad in street	and the second s
Juxtaposition	1 1 5 7 t
Roundhouse and turntable	≪

Draft 28 February 22, 2005

TRANSMISSION LINES AND PIPELINES

Power transmission line: pole; tower	1
Telephone line	
Aboveground oil or gas pipeline	
Underground oil or gas pipeline	Pipeline

Draft 29 February 22, 2005